

Werfen is Global In-Vitro Diagnostics company, family-owned, focused in providing innovative specialized diagnostic solutions to improve patient healthcare, founded in 1966 in Barcelona, Spain.

Our OEM Technology Center has consolidated experience in research, development and manufacturing of customized assays and biomaterials.

We offer end-to-end solutions for the IVD industry with the most innovative capabilities to enhance competitiveness and time-to-market.

Our mission is to become your partner of choice as a center of excellence in providing innovative end-to-end OEM solutions (products & services) to IVD companies.



Innovation

Our OEM Technology Center ranks among the top centers of excellence for immunoassay and biomaterial development and manufacturing in the industry. Our focus on technological advances ensures our customers access to state-of-the-art R&D and manufacturing capabilities. Werfen's innovative nature is strengthened through close relationships with prestigious universities and biotechnology research centers around the world.

Operational Excellence

Our key strength is the combination of the ongoing effort to improve our organizational processes, products and services with the Werfen mindset that embraces principles and tools to create a sustainable partnership with our customers and employees.

Our Quality System is certified to ISO 13485:2016 / EN ISO 13485:2016 as well as MDSAP.

Commitment

Customers and patients benefit from the efficiency of a talented global team of qualified and specialized professionals who lend their enthusiasm, dedication and energy on a daily basis in order to provide high quality products & services.



Acronym List

A ₂₈₀	Absorbance at 280 nm
Ab	Antibody
Ag	Antigen
aHBs	Anti-Hepatitis B Surface
ASO	Anti-Streptolysin O
CL	Chemiluminescence
ELISA	Enzyme-Linked ImmunoSorbent Assay
HBV	Hepatitis B Virus
HCV	Hepatitis C Virus
HEPES	N-2-hydroxyethylpiperazine-N- 2-ethane sulfonic acid
HEV	Hepatitis E Virus

HPLC	High Performance Liquid Chromatography
HTLV	Human T-lymphotropic Virus
IBES	Improved Baculovirus Expression System
IVD	In Vitro Diagnostics
mAb	Monoclonal Antibody
MES	2-(N-morpholino)ethanesulfonic acid
NTE	NaCl-Tris-EDTA buffer
pAb	Polyclonal Antibody
PBS	Phosphate-Buffered Saline
PIGF	Placental Growth Factor
Rec	Recombinant
sFlt-1	Soluble "FMS" like tyrosine kinase

Biomaterials for the IVD Industry

Werfen offers a broad range of biomaterials, including antigens, antibodies, obtained by following validated standards of quality procedures. Those procedures ensure the traceability, reproducibility and robustness of every single product. Our expertise is attested to by more than 200 biomaterials that are being used in diagnostic technologies.

Our know-how in biomaterials is focused on their application in commercial diagnostic assays that provides a low-risk, reliable and highly successful option for our customers to reduce time to market in their developments and secure their operations.

Biomaterials Manufacturing Capabilities

Purification Technologies Protein extraction by salt **Expression Systems** precipitation Mammalian cell lines Density gradient ultracentrifugation Insect cell lines Tangential flow filtration IBES[®]* / CrisBio™ Preparatory Chromatography Yeast Analytical Characterization* **Bacterial** Quantification Purity Hybridoma MW Determination & pl *IBES® (Improved Primary structure Baculovirus Expression System). Aggregation IBES® and CrisBio™ Technologies licensed Thermal stability by ALGENEX S.L. Glycosilation Charged variants Affinity constant Interaction kinetics Thanks to our OEM partnering culture we High order structures have a vast experience of meeting our customers needs and their regulatory *This table compiles all the available analytical

characterization methodologies. Depending on the biomaterial, there are methodologies

applied on routine or upon request

their products worldwide.

requirements in order to commercialize



Werfen is your OEM partner with state-of-the-art manufacturing capabilities to have the supply of critical biomaterials that cover market needs in a continuous, reliable and low-risk manner securing your operations.

CAPABILITIES

- 38.000 m² (409.028 ft²) facilities of which 10.000 m² (107.639 ft²) are dedicated to production activities
- Extensive manufacturing scale-up capabilities
- Biosafety level 2 laboratories
- Positive and negative pressurized laboratories
- State-of-the-art equipment: Bioreactors, AKTA Systems among others
- ISO 8 classified areas for production and filling
- Production under GMP's procedures
- Production under Lean Manufacturing
- 5S methodology implemented in all the production areas
- Final QC functional and physicochemical analysis

Biomaterials Applications*

Fertility			Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Monoclonal Antibodies	p. 9				
	Anti-Placental Growth Factor mAb (1)		•			
	Anti-Placental Growth Factor mAb (2)		•			
	Anti-sFlt-1 mAb (1)		•			
	Anti-sFlt-1 mAb (2)		•			
	Anti-17-OH Progesterone mAb (1)		•			
	Anti-17-OH Progesterone mAb (2)		•			
Endocrinology						
	Monoclonal Antibodies	p. 11				
	Anti-Cortisol mAb (3)		•			
	Anti-Cortisol mAb (4)		•			
	Anti-human Growth Factor mAb (7)		•			
	Anti-human Growth FActor mAb (5)		•			
	Anti-Prolactin mAb (1)		•			
	Anti-Prolactin mAb (2)		•			
Cardiac						
_	Recombinant Antibodies	p. 13				
	Anti-Troponin I rAb (1)			•		
	Anti-Troponin I rAb (2)					
	Anti-GDF-15 rAb (1)					
	Anti-GDF-15 rAb (2)					
Inflammation						
	IL-6	p. 15				
	Recombinant Antibodies					
	Anti-IL-6 rAb (1)			•		
	Anti-IL-6 rAb (2)			•		
	ASO	p. 16				
	Recombinant Antigens					
	Recombinant Streptolysin O				•	•
	Recombinant Streptolysin O Stabilized	1			•	•

^{*}Please note that this table is merely indicative. Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Hepatitis B			Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Native Antigens	p. 17				
	Hepatitis B Surface Antigen (ad Su	btype)	•	•		
	Hepatitis B Surface Antigen (ay Su	btype)	•	•		
	Recombinant Antigens	p. 18				
	Recombinant HBc Antigen		•	•		
	Polyclonal Antibodies	p. 19				
	Anti-HBs Goat IgG pAb		•	•		
	Anti-HBs Guinea Pig IgG pAb		•	•		
	Monoclonal Antibodies	p. 20				
	Anti-HBs mAb (1DE2)					
Hepatitis C						
	Recombinant Antigens	p. 21				
	Recombinant HCV Capsid Polypept	ide	•	•		
	Recombinant HCV NS3 Polypeptide	2		•		
Hepatitis E						
	Recombinant Antigen	p. 22				
	Recombinant Hepatitis E Antigen		•			
Syphilis						
	Recombinant Antigens	p. 23				
-	Recombinant p15 (II) Treponema pa	allidum Ag	•	•		
	Recombinant p17 Treponema pallio	dum Ag	•	•		
	Recombinant p47 Treponema pallio	dum Ag	•	•		
-	Recombinant H-p17 Treponema pa	ıllidum Ag	•	•		
	Recombinant H-p47 Treponema pa	ıllidum Ag	•	•		
Rubella						
	Native Antigens	p. 26				
-	Rubella Antigen Grade A		•	•	•	
	Rubella Antigen Grade B					•
Cytomegaloviru	is					
	Native Antigens	p. 27				
	Cytomegalovirus Antigen		•			

^{*}Please note that this table is merely indicative. Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Biomaterials Applications*

Herpes				
	Recombinant Antigens	p. 28		
	Recombinant gG1 Protein HSV-1			
	Recombinant gG2 Protein HSV-2			
Chagas				
	Recombinant Antigens	p. 29		
	Recombinant TcF Antigen			
HTLV				
	Recombinant Antigen	p. 30		
	Recombinant HTLV I/II Antigen			
Chikungunya				
	Recombinant Proteins	p. 31		
	Recombinant Chikungunya glycoproteir	E1		
-	Recombinant Chikungunya glycoprotein E2			
Zika				
	Recombinant Proteins	p. 32		
	Recombinant Zika NS1 Protein			
Rotavirus				
	Polyclonal Antibodies	p. 33		
	Anti-Rotavirus Rabbit IgG pAb			
Adenovirus				
	Monoclonal Antibodies	p. 34		
	Anti-Adenovirus mAb (2/6)			
	Anti-Adenovirus mAb (20/11)			
Secondary Antil	oodies			
	Monoclonal Antibodies	p. 35		
	Anti-Human IgG mAb			
	Anti-Human IgM mAb			

Chemiluminescence	ELISA	Turbidimetry	Rapid Test
•	•		
•	•		
	•		
	•		•
			_
	•		•
	•		•
•			
•			

^{*}Please note that this table is merely indicative. Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Fertility

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Fertility	Chemiluminescence	ELISA	Turbidimetry	Rapid Test
Monoclonal Antibodies	-			
Anti-Placental Growth Factor mAb (1)	•			
Anti-Placental Growth Factor mAb (2)	•			
Anti-sFlt-1 mAb (1)	•			
Anti-sFlt-1 mAb (2)	•			
Anti-17-OH Progesterone mAb (1)	•			
Anti-17-OH Progesterone mAb (2)	•			

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Monoclonal Antibodies

Product Description	Presentation	Reference	Storage
Anti-Placental Growth Factor mAb (1)	mg/custom size	3000-7060	-70°C**
Anti-Placental Growth Factor mAb (2)	mg/custom size	3000-7061	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

SourceHybridoma cell lineStorage Buffer50 mM MES, 150 mM NaCl, pH 6Purification MethodProtein AProtein Concentration1 mg /mL (A280)PreservativeNo Preservative Added

Product Description	Presentation	Reference	Storage
Anti-sFlt-1 mAb (1)	mg/custom size	3000-7062	-70°C**
Anti-sFlt-1 mAb (2)	mg/custom size	3000-7063	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

Hybridoma cell line Source

Storage Buffer 50 mM MES, 150 mM, NaCl, pH 6

Purification Method Protein A 1 mg /mL (A_{280}) **Protein Concentration**

No Preservative Added **Preservative**

Product Description	Presentation	Reference	Storage
Anti-17-OH Progesterone mAb (1)	mg/custom size	3000-5320	-70°C**
Anti-17-OH Progesterone mAb (2)	mg/custom size	3000-5317	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

Hybridoma cell line Source

Storage Buffer PBS, pH 7.4 **Purification Method** Protein G

Protein Concentration

1 mg /mL (A₂₈₀) No Preservative Added **Preservative**

Endocrinology

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Endocrinology	Chemiluminescence	ELISA	Turbidimetry	Rapid Test
Monoclonal Antibodies				
Anti-Cortisol mAb (3)	•			
Anti-Cortisol mAb (4)	•			
Anti-hGH mAb (7)	•			
Anti-hGH mAb (5)	•			
Anti-Prolactin mAb (1)	•			
Anti-Prolactin mAb (2)	•			

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Monoclonal Antibodies

Product Description	Presentation	Reference	Storage
Anti-Cortisol mAb (3)	mg/custom size	3000-5315	-70°C**
Anti-Cortisol mAb (4)	mg/custom size	3000-5318	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

Source Hybridoma cell line

Storage Buffer PBS, pH 7.4

Purification Method Protein G

Protein Concentration 1 mg /mL (A₂₈₀)

Preservative No Preservative Added

Product Description	Presentation	Reference	Storage
Anti-hGH mAb (7)	mg/custom size	3000-5316	-70°C**
Anti-hGH mAb (5)	mg/custom size	3000-5319	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

Source Hybridoma cell line

Storage BufferPBS, pH 7.4Purification MethodProtein GProtein Concentration1 mg /mL (A280)

Preservative No Preservative Added

Product Description	Presentation	Reference	Storage
Anti-Prolactin mAb (1)	mg/custom size	3421-0000	-70°C**
Anti-Prolactin mAb (2)	mg/custom size	3421-0001	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

Source Hybridoma cell line

Storage Buffer PBS, pH 7.4 **Purification Method** Protein G

Protein Concentration0.50 mg/mL (A280)PreservativeNo Preservative Added

Cardiac

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Cardiac		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Recombinant Antibodies				
	Anti-Troponin I rAb (1)		•		
	Anti-Troponin I rAb (2)				
	Anti-GDF-15 rAb (1)				
	Anti-GDF-15 rAb (2)				

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Recombinant Antibodies

Product Description	Presentation	Reference	Storage
Anti-Troponin I rAb (1)	mg/custom size	3421-0004	2-8°C
Anti-Troponin I rAb (2)	mg/custom size	3421-0005	2-8°C

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability.

Details

Source CHO-based cell line

Storage BufferPBS, pH 7.4Purification MethodProtein AProtein Concentration1mg/mL

Preservative No Preservative Added

Product Description	Presentation	Reference	Storage
Anti-GDF-15 rAb (1)	mg/custom size	3421-0002	2-8°C
Anti-GDF-15 rAb (2)	mg/custom size	3421-0003	2-8°C


This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability.

Details

CHO-based cell line Source

Storage Buffer PBS, pH 7.4 **Purification Method** Protein A **Protein Concentration** 1mg/mL

Preservative No Preservative Added



Inflammation

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Inflammation		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	IL-6				
	Recombinant Antibodies				
	Anti-IL-6 rAb (1)		•		
	Anti-IL-6 rAb (2)		•		
	ASO				
	Recombinant Antigens				-
	Recombinant Streptolysin O			•	•
	Recombinant Streptolysin O Stabilized			•	•

Other uses may be applicable depending on customer use. For further technical information or requests please contact OEM@werfen.com.

IL-6

Recombinant Antibodies

Product Description	Presentation	Reference	Storage
Anti-IL-6 rAb (1)	mg/custom size	3421-0006	2-8°C
Anti-IL-6 rAb (2)	mg/custom size	3421-0007	2-8°C

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability.

Details

Source CHO-based cell line
Storage Buffer PBS, pH 7.4
Purification Method Protein A
Protein Concentration 1mg/mL
Preservative No Preservative Added

ASO

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant Streptolysin O	mg/custom size*	3000-5258	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Source Escerichia coli **Storage Buffer** Tris-HCI, pH 8.5

Purification MethodMetal Affinity ChromatographyProtein Concentration2-4 mg/mL (A280 x 0.79)PreservativeNo Preservative Added

Product Description	Presentation	Reference	Storage
Recombinant Streptolysin O stabilized	1mg/mL	3000-5311	-70°C**
Recombinant Streptolysin O stabilized	mg/custom size*	3000-5259	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

SourceEscerichia coliStorage BufferTris-HCI, pH 8.2

Purification MethodMetal Affinity ChromatographyProtein Concentration1-2 mg/mL (Lowry Method)PreservativeNo Preservative Added

Infectious Diseases Hepatitis B

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Hepatitis B		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Native Antigens	_			
	Hepatitis B Surface Antigen (ad Subtype)	•	•		
	Hepatitis B Surface Antigen (ay Subtype)	•	•		
	Recombinant Antigens				
	Recombinant HBc Antigen	•	•		
	Polyclonal Antibodies				
	Anti-HBs Rabbit IgG pAb		•		
	Anti-HBs Goat IgG pAb	•	•		
	Anti-HBs Guinea Pig IgG pAb	•	•		
	Anti-rHBc Rabbit IgG pAb	•	•		
	Monoclonal Antibodies				
	Anti-HBs mAb (1DE2)				

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Native Antigens

Product Description	Presentation	Reference	Storage
Hepatitis B Surface Antigen (ad Subtype)	1 mg/vial	3000-5201	-20°C**
Hepatitis B Surface Antigen (ad Subtype)	mg/custom size*	3000-5200	-20°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

SourceHuman plasmaStorage BufferPBS, pH 7.4Purification MethodUltracentrifugationProtein Concentration2-3 mg/mL (A280 / 3.726)PreservativeNo Preservative Added

Product Description	Presentation	Reference	Storage
Hepatitis B Surface Antigen (ay Subtype)	1 mg/vial	3000-5199	-20°C**
Hepatitis B Surface Antigen (ay Subtype)	mg/custom size*	3000-5198	-20°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Source Human plasma

Storage Buffer PBS, pH 7.4

Purification Method Ultracentrifugation

Protein Concentration 2-3 mg/mL (A₂₈₀ / 3.726)

Preservative No Preservative Added

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant HBc Antigen	1 mg/vial	3000-5100	-20°C**
Recombinant HBc Antigen	mg/custom size*	3000-5102	-20°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

SourceEscherichia coliStorage BufferPBS, pH 7.4Purification MethodUltracentrifugation

Protein Concentration 0.2-1.0 mg/mL (Lowry Method)

Preservative No Preservative Added

Polyclonal Antibodies

Product Description	Presentation	Reference	Storage
Anti-HBs Goat IgG pAb	5 mg/vial	3000-5501	2-8°C
Anti-HBs Goat IgG pAb	mg/custom size*	3000-5502	2-8°C

^{*}For large quantities, packaging available upon request - minimum size 10 mg/vial.

Specifications

SourceGoat SerumStorage BufferCarbonate, pH 9.5

Purification Method Immunoaffinity Chromatography

Protein Concentration $1-3 \text{ mg/mL} (A_{280} / 0.71)$ PreservativeNo Preservative Added

Product Description	Presentation	Reference	Storage
Anti-HBs Guinea Pig IgG pAb	5 mg/vial	3000-5264	2-8°C
Anti-HBs Guinea Pig IgG pAb	mg/custom size*	3000-5265	2-8°C

^{*}For large quantities, packaging available upon request - minimum size 10 mg/vial.

Specifications

Source Guinea Pig Serum

Storage Buffer PBS

 $\begin{array}{ll} \textbf{Purification Method} & \text{Immunoaffinity Chromatography} \\ \textbf{Protein Concentration} & 0.5\text{-}2.0 \text{ mg/mL } (\text{A}_{280} \text{ / } 0.78) \\ \textbf{Preservative} & < 0.1\% \text{ Sodium Azide} \\ \end{array}$

Monoclonal Antibodies

Product Description	Presentation	Reference	Storage
Anti-HBs mAb (1DE2)	50 mg/custom size*	3000-5012	-70°C**
Anti-HBs mAb (1DE2)	1mg/mL	3000-5011	-70°C**

^{*}For large quantities, packaging available upon request - minimum order 50 mg and minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Isotype
Source
Storage Buffer
Purification Method
Protein Concentration
Preservative

Mouse IgG1 Kappa Hybridoma Cell Line Citrate, 0.1M, pH 7.5 Affinity Chromatography 2-6 mg/mL (A₂₈₀ / 0.71) No Preservative Added



Hepatitis C

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Hepatitis C		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Recombinant Antigens				
	Recombinant HCV Capsid Polypeptide	•	•		
	Recombinant HCV NS3 Polypeptide	•	•		

Other uses may be applicable depending on customer use. For further technical information or requests please contact OEM@werfen.com.

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant HCV Capsid Polypeptide	mg/custom size*	3000-5103	-70°C**
Recombinant HCV Capsid Polypeptide	1mg/mL	3000-5314	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 1 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Source Escherichia coli **Storage Buffer** Acetate, NaCl, pH 5.5

Purification MethodIon Exchange Chromatography

Protein Concentration0.5-2.0 mg/mL (A280)PreservativeNo Preservative Added

Product Description	Presentation	Reference	Storage
Recombinant HCV NS3 Polypeptide	mg/custom size*	3000-5104	-70°C**
Recombinant HCV NS3 Polypeptide	1mg/mL	3000-5105	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 1 mg/vial. **Avoid repeated freezing and thawing.

Specifications

SourceEscherichia coliStorage BufferTris-HCI, NaCl, pH 8.6Purification MethodAffinity ChromatographyProtein Concentration0.5-2.0 mg/mL (A280)PreservativeNo Preservative Added

Hepatitis E

The following products have been reported to work in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Hepatitis E	Antigen	Chemiluminescence	ELISA	Turbidimetry	Rapid T
	Recombinant Antigens				
	Recombinant HEV Ag	•			

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant HEV Ag	mg/custom size	3000-7065	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

Source
Storage Buffer
Purification Method
Protein Concentration
Preservative

Escherichia coli MES, NaCl, pH 6.4 Affinity Chromatography 1 mg /mL (A₂₈₀) No Preservative Added

Syphilis

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Syphilis	Antigen
	Recombinant Antigens
	Recombinant p15 (II) Treponema pallidum Ag
	Recombinant p17 Treponema pallidum Ag
	Recombinant p47 <i>Treponema pallidum</i> Ag
	Recombinant H-p17 Treponema pallidum Ag
	Recombinant H-p47 Treponema pallidum Ag

Chemiluminescence	ELISA	Turbidimetry	Rapid Test
•	•		
•	•		
•	•		
•	•		
•	•		

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant p15 (II) Treponema pallidum Ag	mg/custom size*	3000-5289	-70°C**
Recombinant p15 (II) Treponema pallidum Ag	1mg/mL	3000-5306	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 1 mg/vial. **Avoid repeated freezing and thawing.

Specifications

TagGSTSourceEscherichia coliStorage BufferTris-HCI, NaCl, pH 8.0Purification MethodAffinity ChromatographyProtein Concentration $3-7 \text{ mg/mL} (A_{280} \times 0.74)$ PreservativeNo Preservative Added

Product Description	Presentation	Reference	Storage
Recombinant p17 Treponema pallidum Ag	mg/custom size*	3000-5280	-70°C**
Recombinant p17 Treponema pallidum Ag	1mg/mL	3000-5305	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 2 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Tag GST

Source Escherichia coli

Product Description	Presentation	Reference	Storage
Recombinant p47 Treponema pallidum Ag	mg/custom size*	3000-5284	-70°C**
Recombinant p47 <i>Treponema pallidum</i> Ag	1mg/mL	3000-5307	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 1 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Tag GST

Product Description	Presentation	Reference	Storage
Recombinant H-p17 Treponema pallidum Ag	mg/custom size*	3000-5254	-70°C**
Recombinant H-p17 <i>Treponema pallidum</i> Ag	1mg/mL	3000-5308	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 1 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Tag HIS

Source Escherichia coli

Storage Buffer Tris-HCI, NaCl, pH 8.0

Purification Method Metal Affinity Chromatography

Product Description	Presentation	Reference	Storage
Recombinant H-p47 <i>Treponema pallidum</i> Ag	mg/custom size*	3000-5263	-70°C**
Recombinant H-p47 <i>Treponema pallidum</i> Ag	1mg/mL	3000-5309	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 1 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Tag HIS

Source Escherichia coli

Storage Buffer Tris-HCI, NaCl, pH 8.0

Purification Method Metal Affinity Chromatography
Protein Concentration 2-5 mg/mL (A₂₀₀ x 0.91)

Rubella Virus

The following products have been reported to work in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Rubella		Chemilum
_	Native Antigens	
	Rubella Antigen Grade A	•
	Rubella Antigen Grade B	

Chemiluminescence	ELISA	Turbidimetry	Rapid Test
•	•	•	
			•

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Native Antigens

Product Description	Presentation	Reference	Storage
Rubella Antigen Grade A	1 mg/vial	3000-5202	-70°C**
Rubella Antigen Grade A	mg/custom size*	3000-5204	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Source Tissue Culture (Virus Strain HPV-77)

Storage BufferSucrose/SDS/NTEPurification MethodUltracentrifugation

Protein Concentration 0.5-1.5 mg/mL (Modified Warburg-Christian Method)

Preservative No Preservative Added

Product Description	Presentation	Reference	Storage
Rubella Antigen Grade B	1 mg/vial	3000-5203	-70°C**
Rubella Antigen Grade B	mg/custom size*	3000-5205	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Source Tissue Culture (Virus Strain HPV-77)

Storage BufferSucrose/SDS/NTEPurification MethodUltracentrifugation

Protein Concentration 0.1-0.5 mg/mL (Modified Warburg-Christian Method)

Preservative No Preservative Added

Cytomegalovirus

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Cytomegalovirus	Chemiluminescence	ELISA	Turbidimetry	Rapid Test
Native Antigens				
Cytomegalovirus Antigen	•	•		

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Native Antigens

Product Description	Presentation	Reference	Storage
Cytomegalovirus Antigen*	mg/custom size*	3000-5260	-70°C**
Cytomegalovirus Antigen	1mg/mL	3000-5310	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 1mg/vial. **Avoid repeated freezing and thawing. *Sonication is recommended prior to use.

Specifications

SourceTissue CultureStorage BufferNTE, pH 8.0

Protein Concentration 0.4-0.7 mg/mL (Modified Warburg-Christian Method)

Preservative No Preservative Added

Herpes

The following products have been reported to work in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Herpes	Chemiluminescence	ELISA	Turbidimetry	R
Recombinant Antigens				
Recombinant gG1 Protein HSV-1	•	•		
Recombinant gG2 Protein HSV-2	•	•		

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant gG1 Protein HSV-1*	0.5 mg/vial	3000-5288	-70°C**
Recombinant gG1 Protein HSV-1*	mg/custom size*	3000-5279	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

SourceTrichoplusia ni.Storage BufferHEPES, NaCl, pH 7.5

Purification MethodIon Exchange and Affinity Chromatography

Product Description	Presentation	Reference	Storage
Recombinant gG2 Protein HSV-2*	0.5 mg/vial	3000-5282	-70°C**
Recombinant gG2 Protein HSV-2*	mg/custom size*	3000-5283	-70°C**

^{*}For large quantities, packaging available upon request - minimum size 5 mg/vial. **Avoid repeated freezing and thawing.
[#]This product is manufactured using CrisBio™ technology from ALGENEX S.L.

Specifications

SourceTrichoplusia ni.Storage BufferHEPES, NaCl, pH 8.2

Purification Method Ion Exchange and Affinity Chromatography

[#]This product is manufactured using CrisBio™ technology from ALGENEX S.L.

Chagas

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Chagas		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Recombinant Antigens				
	Recombinant TcF Antigen	•			

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant TcF Ag	mg/custom size	3000-7064	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

SourceEscherichia coliStorage BufferTris, NaCL, pH 8.0Purification MethodChromatographyProtein Concentration1 mg/mL

Preservative No Preservative Added



The following products have been reported to work in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

HTLV		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Recombinant Antigens				
	Recombinant HTLV Antigen	•			

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

No Preservative Added

Recombinant Antigens

Product Description	Presentation	Reference	Storage
Recombinant HTLV Antigen	mg/custom size	3000-7066	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

Source Storage Buffer Purification Method Protein Concentration Preservative Escherichia coli Sodium carbonate, NaCl, Glycerol, pH 9.3 Affinity chromatography 1 mg/mL

Chikungunya

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Chikungunya		(Chemiluminesce
	Recombinant Proteins		
	Recombinant Chikungunya glycoprotein E1	_	
	Recombinant Chikungunya glycoprotein E2		

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Recombinant Proteins

Product Description	Presentation	Reference	Storage
Recombinant Chikungunya glycoprotein E1	1mg/mL vial	3000-9000	≤65°C**
Recombinant Chikungunya glycoprotein E2	1mg/mL vial	3000-9001	≤65°C**

ELISA Turbidimetry

Rapid Test

Contact oem@werfen.com for further information on geographical availability. **Avoid repeated freezing and thawing.

Specifications

Source Storage Buffer Purification Method Protein Concentration Preservative Insect cell expression system Phosphate, NaCL, pH 8.0 and Glycerol Chromatography $0.5-5.0~\rm{mg/mL}~(A_{280})$ No Preservative Added



The following products have been reported to work in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Zika		
	Recombinant Proteins	
	Recombinant Zika NS1 Protein	

Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	•		

Other uses may be applicable depending on customer needs. For further technical information or requests please contact OEM@werfen.com.

Recombinant Proteins

Product Description	Presentation	Reference	Storage
Recombinant Zika NS1 Protein	1 mg/vial	3000-9002	≤65°C**

Contact oem@werfen.com for further information on geographical availability. **Avoid repeated freezing and thawing.

Specifications

Source Insect cell expression system

Storage Buffer HEPES/NaOH, NaCl, pH 8.0 and Glycerol

Purification MethodChromatographyProtein Concentration0.5-2.0 mg/mL (A280)PreservativeNo Preservative Added

Rotavirus

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Rotavirus		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Polyclonal Antibodies				
	Anti-Rotavirus Rabbit IgG pAb		•		•

Other uses may be applicable depending on customer use. For further technical information or requests please contact OEM@werfen.com.

Polyclonal Antibodies

Product Description	Presentation	Reference	Storage
Anti-Rotavirus Rabbit IgG pAb	5 mg/vial	3000-5525	-20°C**
Anti-Rotavirus Rabbit IgG pAb	mg/custom size*	3000-5526	-20°C**

^{*}For large quantities, packaging available upon request - minimum size 10 mg/vial. **Avoid repeated freezing and thawing.

Specifications

Source Storage Buffer Purification Method Protein Concentration Preservative Rabbit Serum PBS with potassium chloride, pH 8.0 Precipitation and Ion Exchange Chromatography 5–15 mg/mL ($A_{280} \times 0.71$) 0.05% Chloretone

Adenovirus

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Adenovirus		Chemiluminescence	ELISA	Turbidimetry	Rapid Test
	Monoclonal Antibodies				
	Anti-Adenovirus mAb (2/6)		•		•
	Anti-Adenovirus mAb (20/11)		•		•

Other uses may be applicable depending on customer use. For further technical information or requests please contact OEM@werfen.com.

Monoclonal Antibodies

Product Description	Presentation	Reference	Storage
Anti-Adenovirus mAb (2/6)	1mg/mL	3000-5312	-70°C**
Anti-Adenovirus mAb (2/6)	mg/custom size*	3000-5113	-70°C**

^{*}For large quantities, packaging available upon request - minimum order 50 mg and minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

IsotypeMouse IgG1 KappaSourceCell CultureStorage BufferCitrate, pH 7.5

Purification MethodAffinity ChromatographyProtein Concentration1-4 mg/mL ($A_{280} \times 0.71$)PreservativeNo Preservative Added

Product Description	Presentation	Reference	Storage
Anti-Adenovirus mAb (20/11)	1mg/mL	3000-5313	-70°C**
Anti-Adenovirus (20/11)	mg/custom size*	3000-5114	-70°C**

^{*}For large quantities, packaging available upon request - minimum order 50 mg and minimum size 5 mg/vial. **Avoid repeated freezing and thawing.

Specifications

IsotypeMouse IgG1 KappaSourceCell CultureStorage BufferCitrate, pH 7.5

Secondary Antibodies

The following products been have tested in the following applications. This information derives from use in commercial diagnostic assays and/or testing within our laboratories.

Secondary Antibodies	Chemiluminescence	ELISA	Turbidimetry	Rapid Test
Monoclonal Antibodies				
Anti-Human IgG mAb	•			
Anti-Human IgM mAb	•			

Other uses may be applicable depending on customer use. For further technical information or requests please contact OEM@werfen.com.

Monoclonal Antibodies

Product Description	Presentation	Reference	Storage
Anti-Human IgG mAb	mg/custom size	3000-7067	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

SourceHybridoma cell lineStorage BufferMES, NaCL, pH 6.0Purification MethodAffinity Chromatography

Protein Concentration $1 \text{mg/mL (A}_{280})$

Preservative No Preservative Added

Product Description	Presentation	Reference	Storage
Anti-Human IgM mAb	1mg/mL	3000-7068	-70°C**

This product is in R&D Stage and is for "Investigation / Research Use Only". The information contained in this catalogue is for informational purposes. Contact oem@werfen.com for further technical information and product availability. **Avoid repeated freezing and thawing.

Details

SourceHybridoma Cell LineStorage BufferMES, NaCL, pH 6.0Purification MethodProtein AProtein Concentration1mg/mL (A280)

Preservative No Preservative Added

